

# Combining Local Search and Fitness Function Adaptation in a GA for Solving Binary Constraint Satisfaction Problems

**B.G.W. Craenen**  
 Vrije Universiteit  
 De Boelelaan 1081a  
 1081 HV Amsterdam

**A.E. Eiben**  
 Vrije Universiteit  
 and  
 LIACS  
 Niels Bohrweg 1  
 2333 CA Leiden

**E. Marchiori**  
 Vrije Universiteit  
 De Boelelaan 1081a  
 1081 HV Amsterdam

**A.G. Steenbeek**  
 CWI  
 Kruislaan 413  
 1090 GB Amsterdam

Both genetic local search (GLS) and genetic algorithms (GAs) with on-line adaptation of a penalty-based fitness function, separately, have produced promising results when they have been used to solve random binary constraint satisfaction problems (BCSPs). In this paper we investigate the effectiveness of GAs that combine these two methods, more specifically, whether the use of a more involved fitness function improves the performance of GLS algorithms for random BCSPs. GLS has been recently used in a hybrid GA [3]; at each generation, the offsprings produced by the application of genetic operators are improved by means of a local search procedure. Next, we replace the fitness function with the fitness function from SAW-ing [2] and define an adaptive cost function (resulting in GLS+SAW). We conduct extensive experiments on a large set of standard benchmark instances of random BCSPs. Binary constraint satisfaction problems are defined by having a set of variables, where each variable has a domain of values, and a set of constraints acting between pairs of variables. A solution of a BCSP is an assignment of values to the variables in such a way that all restrictions imposed by the constraints are satisfied. In this paper we use randomly generated BCSPs that can be defined by four parameters: the number of variables  $n$ , the (uniform) domainsize  $m$ , the probability of a constraint between two variables  $d$  (density), and the probability of a conflict between two values of a constraint  $t$  (tightness). The results indicate that the addition of the SAW-ing method does not deteriorate the success rate (percentage of runs that find a solution, SR) of GLS, while it decreases the average number of fitness evaluations (AES) for some classes of problems. When comparing GLS+SAW with one of the best GA based algorithms, Microgenetic Iterative Descent Method Genetic Algorithm (MIDA) [1], we found that GLS+SAW is slightly better in both SR and AES.

density	alg.	tightness				
		0.1	0.3	0.5	0.7	0.9
0.1	SAW	1(1)	1(1)	1(2)	1(9)	0.64(1159)
	GLS	1(10)	1(10)	1(10)	1(10.1)	0.70(16)
	GLS+SAW	1(10)	1(10)	1(10)	1(10)	0.70(25)
0.3	SAW	1(1)	1(2)	1(36)	0.23(21281)	0(-)
	GLS	1(10)	1(10)	1(17.9)	0.60(2547)	0(-)
	GLS+SAW	1(10)	1(10)	1(19.2)	0.60(2125)	0(-)
0.5	SAW	1(1)	1(8)	0.74(10722)	0(-)	0(-)
	GLS	1(10)	1(11)	1(2320)	0(-)	0(-)
	GLS+SAW	1(10)	1(11)	1(1791)	0(-)	0(-)
0.7	SAW	1(1)	1(73)	0(-)	0(-)	0(-)
	GLS	1(10)	1(26)	0(-)	0(-)	0(-)
	GLS+SAW	1(10)	1(31)	0(-)	0(-)	0(-)
0.9	SAW	1(1)	1(3848)	0(-)	0(-)	0(-)
	GLS	1(10)	1(376)	0(-)	0(-)	0(-)
	GLS+SAW	1(10)	1(436)	0(-)	0(-)	0(-)

Table 1: SR (AES) of SAW, GLS and GLS+SAW

## References

- [1] G. Dozier, J. Bowen, and D. Bahler. Solving small and large constraint satisfaction problems using a heuristic-based microgenetic algorithm. In *Proceedings of the 1st IEEE Conference on Evolutionary Computation*, pages 306–311. IEEE Computer Society Press, 1994.
- [2] A.E. Eiben and J.I. van Hemert. SAW-ing EAs: Adapting the fitness function for solving constrained problems. In D. Corne, M. Dorigo, and F. Glover, editors, *New Ideas in Optimization*, pages 389–402. McGraw-Hill, 1999.
- [3] E. Marchiori and A. Steenbeek. Genetic local search algorithm for random binary constraint satisfaction problems. In *Proceedings of the ACM Symposium on Applied Computing*, 2000. to appear.