

An Ambient Intelligent Agent Model Based on Behavioural Monitoring and Cognitive Analysis

Alexei Sharpanskykh and Jan Treur

Vrije Universiteit Amsterdam, Department of Artificial Intelligence,
De Boelelaan 1081a, 1081 HV Amsterdam, The Netherlands
{sharp, treur}@few.vu.nl

Abstract. This paper proposes a way in which cognitive models can be exploited in practical applications in the context of Ambient Intelligence. A computational model is introduced in which a cognitive model that addresses some aspects of human functioning is taken as a point of departure. From this cognitive model relationships between cognitive states and behavioural aspects affected by these states are determined. Moreover, representation relations for cognitive states are derived, relating them to external events such as stimuli that can be monitored. Furthermore, by automatic verification of the representation relations on monitoring information the occurrence of cognitive states affecting the human behaviour is determined. In this way the computational model is able to analyse causes of behaviour.

Keywords: autonomous agents, cognitive modelling, ambient intelligence.

1 Introduction

One of the interesting areas in which cognitive models can be applied in a practically useful manner is the area of Ambient Intelligence, addressing technology to contribute to personal care for safety, health and wellbeing; e.g., [1]. Such applications make use of sensor devices to acquire sensor information about humans and their functioning, and of intelligent devices exploiting knowledge for analysis of such information. Based on this, appropriate actions can be undertaken that improve the human's safety, health, and behaviour. Commonly, decisions about such actions are made by these intelligent devices based only on observed behavioural features of the human and her context (cf. [3]). A risk of such an approach is that the human is guided only at the level of her behaviour and not at the level of the underlying cognitive states causing the behaviour. Such a situation might lead to suggesting the human to suppress behaviour that is entailed by her internal cognitive states, without taking into account these cognitive states (and their causes) themselves.

As an alternative route, the approach put forward in this paper incorporates a cognitive analysis of the internal cognitive states underlying certain behavioural aspects. To this end, a computational model is described, in which a given cognitive model of the human's functioning is exploited. A cognitive model is formalised using the Temporal Trace Language (TTL) [2]. In contrast to many existing cognitive

modelling approaches based on some form of production rule systems, TTL allows explicit representation of time and complex temporal relations.

By performing cognitive analysis the computational model is able to determine automatically which cognitive states relate to considered behavioural (or performance) aspects of the human, which external events (e.g., stimuli) are required to be monitored to identify these cognitive states (monitoring foci), and how to derive conclusions about the occurrence of cognitive states from such acquired monitoring information. More specifically, monitoring foci are determined by deriving representation relations for the human's cognitive states that play a role in the cognitive model considered. Within Philosophy of Mind a representation relation relates the occurrence of an internal cognitive state property of a human at some time point to the occurrence of other (e.g., external) state properties at the same or at different time points [7]. For example, the desire to go outside may be related to an earlier good weather observation. As temporal relations play an important role here, in the computational model these representation relations are expressed as temporal predicate logical specifications. From these temporal expressions externally observable events are derived that are to be monitored. From the monitoring information on these events the computational model verifies the representation expressions, and thus concludes whether the human is in such a state. Furthermore, in case an internal state has been identified that may affect the behaviour or performance of the human in a certain way, appropriate actions may be proposed.

The paper is organised as follows. The modelling approach is introduced in Section 2. An example used throughout the paper is described in Section 3. In Section 4 the proposed cognitive analysis approach is described. Finally, the paper is concluded with a discussion and summary.

2 Modelling approach

To model the dynamics of cognitive processes with an indication of time, a suitable temporal language is required. In the current paper, to specify temporal relations the Temporal Trace Language (TTL) is used. This reified temporal predicate logical language supports formal specification and analysis of dynamic properties, covering both qualitative and quantitative aspects. Dynamics are represented in TTL as an evolution of states over time. A state is characterized by a set of state properties expressed over (state) ontology Ont that hold. In TTL state properties are used as terms (denoting objects). To this end the state language is imported in TTL. Sort $STATPROP$ contains names for all state formulae. The set of function symbols of TTL includes $\wedge, \vee, \rightarrow, \leftrightarrow: STATPROP \times STATPROP \rightarrow STATPROP$; $not: STATPROP \rightarrow STATPROP$, and $\forall, \exists: S^{VARs} \times STATPROP \rightarrow STATPROP$, of which the counterparts in the state language are Boolean propositional connectives and quantifiers. To represent dynamics of a system sort $TIME$ (a set of time points) and the ordering relation $>: TIME \times TIME$ are introduced in TTL. To indicate that some state property holds at some time point the relation $at: STATPROP \times TIME$ is introduced. The terms of TTL are constructed by induction in a standard way from variables, constants and function symbols typed with all before-mentioned sorts. The language TTL has the semantics

of many-sorted predicate logic. A special software environment has been developed for TTL, featuring a Property Editor for building TTL properties and a Checking Tool that enables automated formal verification of such properties against a set of traces.

The modelling approach presented in this paper adopts a rather general specification format for cognitive models that comprises past-present relationships between cognitive states and between cognitive states and sensor and effector states, formalised by temporal statements expressible within TTL. In this format, for a cognitive state a temporal pattern of past states can be specified, which causes the generation of this state; see also [6]. A *past-present statement* (abbreviated as a *pp-statement*) is a statement ϕ of the form $B \Leftrightarrow H$, where the formula H , called the *head* and denoted by $\text{head}(\phi)$, is a statement of the form $\text{at}(p, t)$ for some time point t and state property p , and B , called the *body* and denoted by $\text{body}(\phi)$, is a past statement for t . A *past statement* for a time point t over state ontology Ont is a temporal statement in TTL, such that each time variable s different from t is restricted to the time interval before t : for every time quantifier for a time variable s a restriction of the form $t > s$ is required within the statement. Sometimes B is called the *definition* of H .

Many types of cognitive models can be expressed in such a past-present format, such as causal models, dynamical system and connectionist models, rule-based models, and models in which memory of past events is used, such as case-based models. In the next section an example of a cognitive model specified in past-present format is given.

3 Case study

To illustrate the proposed model a simplified example to support an elderly person in food and medicine intake is used. The following setting is considered. In normal circumstances the interval between two subsequent food intakes by the human during the day is known to be between 2 and 5 hours. When the human is hungry, she goes to the refrigerator and gets the food. Sometimes the human feels internal discomfort, which can be soothed by taking medicine X. The box with the medicine lies in a cupboard. There should be no food consumption for 2 hours after taking medicine. To maintain a satisfactory health condition of the human, intelligent support is employed, which is described by the computational model presented throughout the paper.




Fig. 1. Cognitive model for food and medicine intake

The behaviour of the human for this example is considered as goal-directed and is modelled using the BDI (Belief-Desire-Intention) architecture [9]. The graphical representation of the cognitive model that produces the human behaviour is given in Fig. 1. In this model the beliefs are based on the observations. For example based on the observation that food is taken, the belief b_1 that food is taken is created. The desire and intention to have food are denoted by d_1 and i_1 correspondingly. The desire and intention to take medicine are denoted by d_2 and i_2 correspondingly. The model from the example was formalised by the following properties in past-present format:

IP1(c): General belief generation property

At any point in time a (persistent) belief state b about c holds *iff* at some time point in the past the human observed c . Formally: $\exists t_2 [t_1 > t_2 \ \& \ \text{at}(\text{observed}(c), t_2)] \Leftrightarrow \text{at}(b, t_1)$

IP2: Desire d_1 generation

At any point in time the internal state property d_1 holds *iff* at some time point in the past b_1 held. Formally: $\exists t_4 [t_3 > t_4 \ \& \ \text{at}(b_1, t_4)] \Leftrightarrow \text{at}(d_1, t_3)$

IP3: Intention i_1 generation

At any point in time the internal state property i_1 holds *iff* at some time point in the past b_2 and d_1 held. Formally: $\exists t_6 [t_5 > t_6 \ \& \ \text{at}(d_1, t_6) \ \& \ \text{at}(b_2, t_6)] \Leftrightarrow \text{at}(i_1, t_5)$

IP4: Action eat food generation

At any point in time the action eat food is performed *iff* at some time point in the past both b_3 and i_1 held. Formally: $\exists t_8 [t_7 > t_8 \ \& \ \text{at}(i_1, t_8) \ \& \ \text{at}(b_3, t_8)] \Leftrightarrow \text{at}(\text{performed}(\text{eat food}), t_7)$

IP5: Desire d_2 generation

At any point in time the internal state property d_2 holds *iff* at some time point in the past b_4 held. Formally: $\exists t_{10} [t_9 > t_{10} \ \& \ \text{at}(b_4, t_{10})] \Leftrightarrow \text{at}(d_2, t_9)$

IP6: Intention i_2 generation

At any point in time the internal state property i_2 holds *iff* at some time point in the past b_5 and d_2 held. Formally: $\exists t_{12} [t_{11} > t_{12} \ \& \ \text{at}(d_2, t_{12}) \ \& \ \text{at}(b_5, t_{12})] \Leftrightarrow \text{at}(i_2, t_{11})$

IP7: Action medicine intake generation

At any point in time the action medicine intake is performed *iff* at some time point in the past both b_6 and i_2 held. Formally:
 $\exists t_{14} [t_{13} > t_{14} \ \& \ \text{at}(i_2, t_{14}) \ \& \ \text{at}(b_6, t_{14})] \Leftrightarrow \text{at}(\text{performed}(\text{medicine intake}), t_{13})$

4 Cognitive Analysis

First, a set of goals is defined on the human's states and behaviour. The goal for the case study is to maintain a satisfactory health condition of the human. Each goal is refined into more specific criteria that should hold for the human's functioning. In particular, for the case study the goal is refined into three criteria:

- (1) food is consumed every 5 hours (at latest) during the day;
- (2) after the medicine is taken, no food consumption during the following 2 hours occurs;
- (3) after 3 hours from the last food intake no medicine intake occurs.

Based on the criteria expressions, a set of output states (called *an output focus*) and a set of internal (cognitive) states (called *an internal focus*) of the human are determined, which are used for establishing the satisfaction of the criteria. For the case study the output focus consists of the states $\text{performed}(\text{eat food})$ and $\text{performed}(\text{medicine intake})$.

A cognitive model of the human defines relations between an output state and internal states which cause the generation of the output state. The latter provide a more in depth understanding of why certain behaviours (may) occur. In general, using a cognitive model one can determine a minimal specification that comprises temporal relations to internal states, which provides necessary and sufficient conditions on internal states to ensure the generation of an output state. An automated procedure to generate such specifications is considered in Section 4.1. Such a specification is a useful means for prediction of behaviour. That is, if an essential part of a specification becomes satisfied (e.g., when some important internal state(s) hold(s)), the possibility that the corresponding output state will be generated increases significantly. If such an output is (not) desired, actions can be proposed in a knowledgeable manner, based on an in depth understanding of the internal states causing the behaviour. Thus, the essential internal states (called *predictors for an output*) from specifications for the states in the output focus should be added to the internal focus.

Normally states in an internal focus cannot be observed directly. Therefore, representation relations are to be established between these states and externally observable states of the human (i.e., the representational content should be defined for each internal state in focus). Representation relations are derived from the cognitive model representation as shown in Section 4.2 and usually have the form of more complex temporal expressions over externally observable states. To detect occurrence of an internal state, the corresponding representational content should be monitored constantly, which is considered in Section 4.3.

4.1 Generating Predictors for Output States

A predictor(s) for a particular output can be identified based on a specification of human's internal dynamics that ensures the generation of the output. In general, more than one specification can be identified, which is minimal in terms of numbers of internal states and relations between them, however sufficient for the generation of a particular output. Below an automated procedure for the identification of all possible minimal specifications for an output state based on a cognitive model is given. The rough idea underlying the procedure is the following. Suppose for a certain output state property p the pp-statement $B \Leftrightarrow at(p, t)$ is given. Moreover, suppose that in B only two atoms of the form $at(p_1, t_1)$ and $at(p_2, t_2)$ with internal states p_1 and p_2 occur, whereas as part of the cognitive model specifications $B_1 \Leftrightarrow at(p_1, t_1)$ and $B_2 \Leftrightarrow at(p_2, t_2)$ are available. Then, within B the atoms can be replaced (by substitution) by the formula B_1 and B_2 . Thus, $at(p, t)$ may be related by equivalence to four specifications:

$$\begin{aligned} B \Leftrightarrow at(p, t) & \quad B[B_2/at(p_2, t_2)] \Leftrightarrow at(p, t) \\ B[B_1/at(p_1, t_1)] \Leftrightarrow at(p, t) & \quad B[B_1/at(p_1, t_1), B_2/at(p_2, t_2)] \Leftrightarrow at(p, t) \end{aligned}$$

Here for any formula C the expression $C[x/y]$ denotes the formula C transformed by substituting x for y .

Algorithm: GENERATE-MINIMAL-SPECS-FOR-OUTPUT

Input: Cognitive model X ; output state in focus specified by $at(s, t)$

Output: All possible minimal specifications for $at(s, t)$ in list L

1 Let L be a list containing $at(s, t)$, and let $\delta p, \delta$ be empty substitution lists.

- 2 For each formula $\phi_i \in L: at(a_i, t) \leftrightarrow \psi_i(at_1, \dots, at_m)$ identify $\delta_i = \{at_k/body(\phi_k) \text{ such that } \phi_k \in X \text{ and } head(\phi_k)=at_i\}$. Then δ is obtained as a union of δ_i for all formulae from L.
- 3 $\delta = \delta \setminus \delta p$
- 4 if δ is empty, **finish**.
- 5 For each formula $\phi_i \in L$ obtain a set of formulae by all possible combinations of substitution elements from δ applied to ϕ_i . Add all identified sets to L.
- 6 $\delta p = \delta p \cup \delta$, proceed to step 2.

For each generated specification the following measures can be calculated:

- (1) *The measure of desirability* indicating how desirable is the human's state, described by the generated specification at a given time point. The measure ranges from -1 (a highly undesirable state) to 1 (a highly desirable state).
- (2) *The minimum and maximum time before the generation of the output state(s)*. This measure is critical for timely intervention in human's activities.

These measures serve as heuristics for choosing one of the generated specifications. To facilitate the choice, constraints on the measures may be defined, which ensure that an intervention occurs only when a considerable (un)desirability degree of the human's state is determined, but also the minimum time before the (un)desirable output(s) is above some acceptable threshold. To calculate the measure (1), the degree of desirability is associated with each output state of the cognitive model. Then, it is determined which output states from the cognitive specification can be potentially generated, given that the bodies of the formulae from the generated specification are evaluated to TRUE. This is done by executing the cognitive specification with $body(\phi_i) = TRUE$ for all ϕ_i from the generated specification. Then, the desirability of a candidate specification is calculated as the average over the degrees of desirability of the identified output states, which can be potentially generated. The measures (2) can be calculated when numerical timing relations are defined in the properties of a cognitive specification. After a specification is chosen, a set of predictor states from the specification for the output states in focus can be identified. When statistical information in the form of past traces of human behaviour is available, then the set of predictors is determined by identifying for each candidate two sets: a set of traces S in which the outputs in focus were generated and set $T \subseteq S$ in which the candidate set of predictors was generated. The closer the ratio $|T|/|S|$ to 1, the more reliable is the candidate set of predictors for the output(s) in focus.

For the case study from the automatically generated specifications that create the state performed(eat food) the one expressed by property IP4 is chosen. It has the desirability of the state performed(eat food). Furthermore, it is assumed that the time interval $t7-t8$ in IP4 is sufficient for an intervention. The predictor state from the chosen specification is $i1$, as its predictive power depends on the occurrence of $b3$ only. Thus, $i1$ is included in the internal focus. By a similar line of reasoning, the specification expressed by property IP7 is chosen, in which $i2$ is the predictor state included into the internal focus. Thus, the internal focus for the cognitive model is the set $\{i1, i2\}$.

4.2 Representation Relations

A representation relation for an internal state property p relates the occurrence of p to a specification Φ that comprises a set of state properties and temporal relations

between them. In such a case it is said that p *represents* Φ , or Φ describes *representational content* of p . In this section an automated approach to identify representation relations for cognitive states from a cognitive model is described.

The representational content considered backward in time is specified by a history (i.e., a specification that comprises temporal (or causal) relations on past states) that relates to the creation of some cognitive state. In the literature on Philosophy of Mind different approaches to defining representation relations have been put forward (cf. [7]). For example, according to the classical causal/correlation approach, the representational content of an internal state property is given by a one-to-one mapping to an external state property. The application of this approach is limited to simple types of behaviour. In cases when an internal property represents a more complex temporal combination of state properties, other approaches have to be used. For example, the temporal-interactivist approach (cf. [6]) allows defining representation relations by referring to multiple (partially) temporally ordered interaction state properties; i.e., input (sensor) and output (effector) state properties over time.

To automate the representation relation identification based on this idea, a procedure was developed. To apply this procedure, cognitive specification is required to be stratified. This means that there is a partition of the specification $\Pi = \Pi_1 \cup \dots \cup \Pi_n$ into disjoint subsets such that the following condition holds: for $i > 1$: if a subformula $at(\varphi, t)$ occurs in a body of a statement in Π_i , then it has a definition within $\cup_{j < i} \Pi_j$.

Algorithm: GENERATE-REPRESENTATION-RELATION

Input: Cognitive specification X ; cognitive state specified by $at(s, t)$, for which the representation relation is to be identified

Output: Representation relation for $at(s, t)$

1 Stratify X :

1.1 Define the set of formulae of the first stratum ($h=1$) as $\{\varphi_i: at(a_i, t) \leftrightarrow \psi_i(p(at_1, \dots, at_m)) \in X \mid \forall k m \geq 1 at_k \text{ is expressed using InputOnt}\}$; proceed with $h=2$.

1.2 The set of formulae for stratum h is identified as $\{\varphi_i: at(a_i, t) \leftrightarrow \psi_i(p(at_1, \dots, at_m)) \in X \mid \forall k m \geq 1 \exists l l < h \exists \psi \in \text{STRATUM}(X, l) \text{ AND head}(\psi) = at_k \text{ AND } \exists j m \geq 1 \exists \xi \in \text{STRATUM}(X, h-1) \text{ AND head}(\xi) = at_j\}$; proceed with $h=h+1$.

1.3 Until a formula of X exists not allocated to a stratum, perform 1.2.

2 Create the stratified specification X' by selecting from X only the formulae of the strata with the number $i < k$, where k is the number of the stratum, in which $at(s, t)$ is defined. Add the definition of $at(s, t)$ from X to X' .

3 Replace each formula of the highest stratum n of X' φ_i :

$at(a_i, t) \leftrightarrow \psi_i(p(at_1, \dots, at_m))$ by $\varphi_i \delta$ with renaming of temporal variables if required, where $\delta = \{at_k \setminus \text{body}(\varphi_k) \text{ such that } \varphi_k \in X' \text{ and head}(\varphi_k) = at_k\}$. Further, remove all formulae $\{\varphi \in \text{STRATUM}(X', n-1) \mid \exists \psi \in \text{STRATUM}(X', n) \text{ AND head}(\varphi) \text{ is a subformula of the body}(\psi)\}$

4 Append the formulae of stratum n to stratum $n-1$, which becomes the highest stratum ($n=n-1$).

5 Until $n > 1$, perform steps 3 and 4. The obtained specification with one stratum ($n=1$) is the representation relation specification for $at(s, t)$

In Step 3 subformulae of each formula of the highest stratum n of X' are replaced by their definitions, provided in lower strata. Then, the formulae of $n-1$ stratum used for the replacement are eliminated from X' . As result of such a replacement and elimination, X' contains $n-1$ strata (Step 4). Steps 3 and 4 are performed until X' contains one stratum only. In this case X' consists of a formula φ defining the representational content for $at(s, t)$, i.e., $\text{head}(\varphi)$ is $at(s, t)$ and $\text{body}(\varphi)$ is a formula expressed over interaction states and (temporal) relations between them.

In the following it is shown how this algorithm is applied for identifying the representational content for state i_1 from the internal focus from the case study. By performing Step 1 the specification of the cognitive model is automatically stratified: stratum 1: {IP1(own_position_refrigerator), IP1(food_not_eaten_more_than_2h), IP1(own_position_cupboard), IP1(medicine_box_taken)}; stratum 2: {IP2, IP5}; stratum 3: {IP3, IP6}; stratum 4: {IP4, IP7}. By Step 2 the properties IP4, IP5, IP6, IP7 are eliminated as unnecessary for determining the representational content of i_1 . In Step 3 we proceed with property IP3 of the highest stratum (3):

$$\exists t_6 [t_5 > t_6 \ \& \ at(d_1, t_6) \ \& \ at(b_2, t_6)] \Leftrightarrow at(i_1, t_5)$$

In this step property IP8 is obtained by replacing d_1 and b_2 state properties in IP3 by their definitions with renaming of temporal variables:

$$\exists t_6 [t_5 > t_6 \ \& \ \exists t_4 [t_6 > t_4 \ \& \ at(b_1, t_4)] \ \& \ \exists t_2 [t_6 > t_2 \ \& \ at(observe(own_position_refrigerator), t_2)]] \Leftrightarrow at(i_1, t_5)$$

Further, the properties IP3, IP2 and IP1(own_position_refrigerator) are removed from the specification and the property IP8 is added to the stratum 2. Then, IP9 is obtained by replacing b_1 in IP8 by its definition:

$$\exists t_6 [t_5 > t_6 \ \& \ \exists t_4 [t_6 > t_4 \ \& \ \exists t_5 [t_4 > t_5 \ \& \ at(observe(food_not_eaten_more_than_2h), t_5)]] \ \& \ \exists t_2 [t_6 > t_2 \ \& \ at(observe(own_position_refrigerator), t_2)]] \Leftrightarrow at(i_1, t_5)$$

After that properties IP8 and IP1(food_not_eaten_more_than_2h) are removed from the specification and IP9 becomes the only property of the stratum 1. Thus, IP9 defines the representational content for the state i_1 that occurs at any time point t_5 .

Similarly, the representational content for the other state from the internal focus i_2 is identified as:

$$\exists t_{12} [t_{11} > t_{12} \ \& \ \exists t_{16} [t_{12} > t_{16} \ \& \ at(observe(own_position_cupboard), t_{16})]] \Leftrightarrow at(i_2, t_{11})$$

The algorithm has been implemented in Java with the overall time complexity for the worst case is $O(|X|^2)$, where $|X|$ is the length of a cognitive specification X .

4.3 Behavioural Monitoring

To support the monitoring process, it is useful to decompose a representational content expression into atomic subformulae that describe particular interaction and world events. The subformulae are determined in a top-down manner, following the nested structure of the overall formula:

$$\begin{aligned} \text{monitor_focus}(F) &\rightarrow \text{in_focus}(F) \\ \text{in_focus}(E) \wedge \text{is_composed_of}(E, C, E_1, E_2) &\rightarrow \text{in_focus}(E_1) \wedge \text{in_focus}(E_2) \end{aligned}$$

Here $\text{is_composed_of}(E, C, E_1, E_2)$ indicates that E is an expression obtained from subexpressions E_1 and E_2 by a logical operator C (i.e., and, or, implies, not, forall, exists). At each decomposition step subexpressions representing events are added to the list of foci that are used for monitoring. This list augmented by the foci on the states from the output focus is used for monitoring. For the case study from the representation content for i_1 and i_2 atomic monitoring foci: $\text{observe}(food_not_eaten_more_than_2h)$, $\text{observe}(own_position_refrigerator)$ and $\text{observe}(own_position_cupboard)$ were derived.

Furthermore, the information on the states in the output and internal foci, on the chosen predictors for the output states, and on the identified representation relations is

used to monitor constantly. As soon as an event from the atomic monitoring foci occurs, the component initiates automated verification of the corresponding representational content property on the history of the events in focus occurred so far. The automatic verification is performed using the TTL Checker tool (for the details on the verification algorithm see [2]).

Another task is to ensure that the goal criteria hold. The satisfaction of the criteria is checked using the TTL Checker tool. To prevent the violation of a criterion promptly, information related to the prediction of behaviour (i.e., predictors for outputs) can be used. More specifically, if the internal states-predictors for a set of output states O hold, and some behaviour or performance criterion is violated under O , then an intervention in human activities is required. The type of intervention may be defined separately for each criterion. For the case study as soon as the occurrence of the prediction states $i1$ and $i2$ is established, the violation of the criteria identified previously is determined under the condition that the predicted outputs hold. To prevent the violation of the criteria, the following intervention rules are specified:

- (1) If the human did not consume food during last 5 hours, then inform the human about the necessary food intake. Formally:
 $\forall t1 \text{ current_time}(t1) \ \& \ \neg \exists t2 \ t1-300 \leq t2 < t1 \ \text{belief}(\text{holds_at}(\text{performed}(\text{eat food}), t2), \text{pos})$
 $\Rightarrow \text{to_be_communicated_to}(\text{'Meal time'}, \text{pos}, \text{Human})$
- (2) If the human took medicine X less than 2 hours ago (time point $t2$ in minutes) and the existence of the predictor $i1$ is established, then inform the human that she still needs to wait $(120- t2)$ minutes for taking medicine. Formally:
 $\forall t1 \text{ current_time}(t1) \ \& \ \exists t2 \ t1-120 < t2 \ \text{belief}(\text{holds_at}(\text{performed}(\text{medicine intake}), t2), \text{pos}) \ \& \ \text{at}(i1, t1) \Rightarrow$
 $\text{to_be_communicated_to}(\text{'Please wait } 120-t2 \text{ minutes more'}, \text{pos}, \text{Human})$
- (3) If the human did not consume food during last 3 hours and the existence of the predictor $i2$ is established, inform the human that she better eats first. Formally:
 $\forall t1 \text{ current_time}(t1) \ \& \ \neg \exists t2 \ t1-180 \leq t2 < t1 \ \text{belief}(\text{holds_at}(\text{performed}(\text{eat food}), t2), \text{pos}) \ \& \ \text{at}(i2, t1) \Rightarrow$
 $\text{to_be_communicated_to}(\text{'Please eat first'}, \text{pos}, \text{Human})$

8 Discussion and conclusions

In this paper a computational model was presented incorporating a more in depth analysis based on a cognitive model of a human's functioning. Having such a cognitive model allows relating certain behavioural or performance aspects that are considered, to underlying cognitive states causing these aspects. Often cognitive models are used either by performing simulation, or by temporal reasoning methods; e.g. [8]. In this paper a third way of using such models is introduced, namely by deriving more indirect relations from these models. Such an approach can be viewed as a form of knowledge compilation [4] in a pre-processing phase, so that the main processing phase is less intensive from the computational point of view. Such a form of automated knowledge compilation occurs in two ways: first, to derive the relationships between considered behaviour or performance aspects to the relevant internal cognitive states, and next to relate such cognitive states to observable events (monitoring foci). These monitoring foci are determined from the cognitive model by automatically deriving representation relations for cognitive states in the form of temporal specifications. From these temporal expressions the events are derived that are to be monitored, and from the monitoring information on these events the representation expressions are verified automatically.

A wide range of existing ambient intelligence applications is formalised using production rules (cf. [5]) and if-then statements. Two important advantages of such rules are modelling simplicity and executability. However, such formalism is not suitable for expressing more sophisticated forms of temporal relations, which can be specified using the TTL language. In particular, references to multiple time points possible in TTL are necessary for modelling forms of behaviour more complex than stimulus-response (e.g., to refer to memory states). Furthermore, TTL allows representing temporal intervals and to refer to histories of states, for example to express that a medicine improves the health condition of a patient.

Another popular approach to formalise recognition and prediction of human behaviour is by Hidden Markov Models (HMM) (e.g., [10]). In HMM-based approaches known to the authors, recognition of human activities is based on contextual information of the activity execution only; no cognitive or (gradual) preparation states that precede actual execution of activities are considered. As indicated in [10] a choice of relevant contextual variables for HMMs is not simple and every additional variable causes a significant increase in the complexity of the recognition algorithm. Knowledge of cognitive dynamics that causes particular behaviour would provide more justification and support for the choice of variables relevant for this behaviour. Furthermore, as pointed in [3], for high quality behaviour recognition a large corpus of training data is needed. The computational costs of the pre-processing (knowledge compilation) phase of our approach are much lower (polynomial in the size of the specification). Also, no model training is required. However, the proposed approach relies heavily on the validity of cognitive models.

References

1. Aarts, E., Harwig, R. and Schuurmans, M. (2001) Ambient Intelligence. In: P. Denning (ed.), *The Invisible Future*, McGraw Hill, New York, p. 235-250.
2. Bosse, T., Jonker, C.M., Meij, L. van der, Sharpanskykh, A, and Treur, J. (2009). Specification and Verification of Dynamics in Agent Models. *Int. J. of Cooperative Information Systems*, 18(1), pp. 167-193.
3. Brdiczka, O., Langet, M., Maisonnasse, J., Crowley, J. L. (2009). Detecting human behavior models from multimodal observation in a smart home. In: *IEEE Transactions on Automation Science and Engineering*, 6(3), IEEE Computer Society Press.
4. Cadoli, M., Donini, F. M. (1997). A Survey on Knowledge Compilation. *AI Communications*, 10(3-4), p. 137-150.
5. Christensen, H.B. (2002). Using Logic Programming to Detect Activities in Pervasive Healthcare. In *Int. Conference on Logic Programming*, Springer, vol. 2401, pp.21 - 436
6. Jonker, C.M., and Treur, J. (2003). A Temporal-Interactivist Perspective on the Dynamics of Mental States. *Cognitive Systems Research Journal*, vol. 4, 137-155.
7. Kim, J. (1996) *Philosophy of Mind*. Westview Press.
8. Port R.F., van Gelder, T. (eds.) (1995). *Mind as Motion: Explorations in the Dynamics of Cognition*. MIT Press, Cambridge, Mass.
9. Rao, A., Georgeff, M.P. (1991). Modeling rational agents within a bdi-architecture. In *Proc. of 2th Int. Conf. on Principles of Knowledge Repr. and Reasoning*, 473-484.
10. Sanchez, D., Tentori, M., Favela, J. (2007). Hidden Markov Models for Activity Recognition in Ambient Intelligence Environments. In: *Proc. 8th Int. Mexican Conf. Current Trends in Computer Science*, IEEE CS Press, pp. 33-40.